

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in NDR, by sex and race/ethnicity, 2004**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	83	46	a	13	27	a	96	42	a
Black, not Hispanic	85	47	a	30	63	a	115	50	a
Hispanic	12	7	a	*	8	a	16	7	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	*	2	a	*	0	a
Total	180	100	a	48	100	a	228	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by sex and age at diagnosis, 2004**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	*	2	*	0
13-14	0	0	0	0	0	0
15-24	26	14	*	8	30	13
25-34	39	22	18	38	57	25
35-44	75	42	14	29	89	39
45-54	31	17	10	21	41	18
55-64	6	3	0	0	6	3
>=65	*	2	*	2	*	2
Total	180	100	48	100	228	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by sex and exposure category, 2004**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	111	62	a	a	111	49
Injection drug use (IDU)	14	8	9	19	23	10
Male-to-male sex and IDU	*	2	a	a	*	2
Heterosexual contact	28	16	36	75	64	28
Mother with/at risk for HIV	0	0	*	2	*	0
Other/unknown	23	13	*	4	25	11
Total	180	100	48	100	228	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by race/ethnicity and exposure category, 2004**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	65	68	42	37	*	25	0	0	0	0	0	0	111	49
Injection drug use (IDU)	9	9	14	12	0	0	0	0	0	0	0	0	23	10
Male-to-male sex and IDU	*	2	*	2	0	0	0	0	0	0	0	0	*	2
Heterosexual contact	10	10	45	39	8	50	0	0	0	0	*	100	64	28
Mother with/at risk for HIV	0	0	*	1	0	0	0	0	0	0	0	0	*	0
Other/unknown	10	10	11	10	*	25	0	0	0	0	0	0	25	11
Total	96	100	115	100	16	100	0	0	0	0	*	100	228	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by sex and tuberculosis comorbidity, 2004**

<b>Tuberculosis diagnosis</b>	<b>Males</b>		<b>Females</b>		<b>Total</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
Not diagnosed	178	99	47	98	225	99
Definitive case	*	1	*	2	*	1
Presumptive case	0	0	0	0	0	0
Total	180	100	48	100	228	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in NDR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	25	33	a	6	27	a	31	32	a
Black, not Hispanic	48	64	a	14	64	a	62	64	a
Hispanic	*	3	a	*	5	a	*	3	a
Asian/Pacific Islander	0	0	a	*	5	a	*	1	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	75	100	a	22	100	a	97	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	200	155	169	192	180	3,857
Females	66	52	47	47	48	884
Total	266	207	216	239	228	4,741

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	102	79	88	94	96	2,253
Black, not Hispanic	154	120	116	129	115	2,354
Hispanic	8	6	8	15	16	109
Asian/Pacific Islander	*	*	*	*	0	14
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	*	0	*	0	*	8
Total	266	207	216	239	228	4,741

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	*	*	20
13-14	0	0	0	0	0	3
15-24	31	24	28	40	30	516
25-34	94	62	70	75	57	1,949
35-44	92	83	71	65	89	1,583
45-54	38	29	29	41	41	512
55-64	7	7	14	13	6	123
>=65	*	*	*	*	*	35
Total	266	207	216	239	228	4,741

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in NDR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	131	113	111	125	111	2,474
Injection drug use (IDU)	49	18	25	18	23	991
Male-to-male sex and IDU	10	*	*	9	*	254
Heterosexual contact	56	53	55	65	64	764
Mother with/at risk for HIV	0	0	0	*	*	19
Other/unknown	20	22	21	21	25	239
Total	266	207	216	239	228	4,741

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in NDR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	120	107	135	156	135	2,458
Females	38	29	33	51	45	454
Total	158	136	168	207	180	2,912

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in NDR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	61	50	66	83	70	1,454
Black, not Hispanic	93	83	94	119	102	1,386
Hispanic	*	*	5	*	8	57
Asian/Pacific Islander	*	0	0	*	0	6
American Indian/Alaska Native	0	0	0	0	0	3
Unknown/Multiple Race	0	*	*	0	0	6
Total	158	136	168	207	180	2,912

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in NDR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	*	12
13-14	0	0	0	0	0	0
15-24	*	6	7	7	7	123
25-34	40	34	39	54	42	1,016
35-44	72	61	75	89	75	1,198
45-54	35	25	35	45	41	433
55-64	7	7	7	8	7	94
>=65	*	*	5	*	7	36
Total	158	136	168	207	180	2,912

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in NDR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	70	68	81	92	76	1,582
Injection drug use (IDU)	44	28	39	48	34	625
Male-to-male sex and IDU	8	7	11	9	10	199
Heterosexual contact	24	26	28	45	45	390
Mother with/at risk for HIV	0	0	0	0	*	11
Other/unknown	12	7	9	13	14	105
Total	158	136	168	207	180	2,912

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in NDR, by year and sex**

	2000	2001	2002	2003	2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	2,133	2,204	2,317	2,441	2,546
Females	576	611	636	660	686
Total	2,709	2,815	2,953	3,101	3,232

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in NDR, by year and race/ethnicity**

	2000	2001	2002	2003	2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	1,245	1,281	1,342	1,412	1,477
Black, not Hispanic	1,399	1,461	1,528	1,593	1,646
Hispanic	49	55	61	76	89
Asian/Pacific Islander	8	10	13	14	13
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	6	6	7	*	5
Total	2,709	2,815	2,953	3,101	3,232

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**Numbers of persons living with HIV/AIDS in NDR, by year and current age**

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	9	9	9	10	11
13-14	0	0	0	0	0
15-24	21	33	49	74	103
25-34	396	424	471	539	585
35-44	1,215	1,259	1,303	1,334	1,387
45-54	825	844	860	875	886
55-64	196	198	212	219	211
>=65	47	48	49	50	49
Total	2,709	2,815	2,953	3,101	3,232

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in NDR, by year and exposure category**

	2000	2001	2002	2003	2004
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	1,340	1,413	1,497	1,598	1,673
Injection drug use (IDU)	664	647	646	623	615
Male-to-male sex and IDU	146	137	135	139	138
Heterosexual contact	438	478	519	572	615
Mother with/at risk for HIV	11	11	11	12	13
Other/unknown	110	129	145	157	178
Total	2,709	2,815	2,953	3,101	3,232

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in NDR, by year of death and sex**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	63	84	56	68	75	1,311
Females	12	17	22	23	22	198
Total	75	101	78	91	97	1,509

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in NDR, by year of death and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	31	43	27	24	31	776
Black, not Hispanic	44	58	49	64	62	708
Hispanic	0	0	*	0	*	20
Asian/Pacific Islander	0	0	0	0	*	1
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	*	0	3
Total	75	101	78	91	97	1,509

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in NDR, by year of death and age at death**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	*	0	0	0	0	6
13-14	0	0	0	0	0	1
15-24	*	*	0	0	0	20
25-34	15	23	17	9	12	449
35-44	25	40	34	41	34	630
45-54	26	25	19	30	32	294
55-64	6	8	5	8	14	81
>=65	0	*	*	*	5	28
Total	75	101	78	91	97	1,509

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in NDR, by year of death and exposure category**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	30	40	27	24	36	801
Injection drug use (IDU)	24	35	26	41	31	376
Male-to-male sex and IDU	7	10	6	5	5	116
Heterosexual contact	10	13	14	12	21	149
Mother with/at risk for HIV	*	0	0	0	0	6
Other/unknown	*	*	5	9	*	61
<b>Total</b>	<b>75</b>	<b>101</b>	<b>78</b>	<b>91</b>	<b>97</b>	<b>1,509</b>

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.